

Accreditation



The Deutsche Akkreditierungsstelle attests with this Accreditation Certificate that

PEHLA GmbH Beckstraße 15, 69469 Weinheim

operates a testing laboratory that fulfills the requirements according to DIN EN ISO/IEC 17025:2018 for those conformity assessment activities specified in detail in the annex listed below. This includes additional existing legal and normative requirements for the testing laboratory including those in relevant sectoral schemes, provided that these are explicitly confirmed in the annex listed below.

D-PL-12072-04-01 Valid from: 13.03.2024

The management system requirements of DIN EN ISO/IEC 17025 are written in the language relevant to the operations of testing laboratories and they conform to the principles of DIN EN ISO 9001.

This accreditation was issued in accordance with Art. 5 Para. 1 Sentence 2 of Regulation (EC) 765/2008, after an accreditation procedure was carried out in compliance with the minimum requirements of DIN EN ISO/IEC 17011 and on the basis of a review and decision of the appointed accreditation committees.

This accreditation certificate only applies in connection with the notice of 03.11.2025. It consists of this cover sheet, the reverse side of the cover sheet and the corresponding annex .

Registration number of the accreditation certificate: D-PL-12072-04-00

Berlin, 03.11.2025 Dipl.-Ing. (FH) Florian Burkart | Head of Technical Unit

Translation issued: 13.03.2024

This accreditation certificate was issued by the Deutsche Akkreditierungsstelle GmbH (DAkkS). It is digital sealed and valid without signature. It reflects the status as indicated by the date of issue. The current status of any valid and surveyed accreditation can be found in the directory of accredited bodies maintained by Deutsche Akkreditierungsstelle GmbH (www.dakks.de).

Deutsche Akkreditierungsstelle GmbH

Office Berlin Spittelmarkt 10 10117 Berlin

The Deutsche Akkreditierungsstelle GmbH (DAkkS) is the entrusted national accreditation body of the Federal Republic of Germany according to § 8 section 1 AkkStelleG in conjunction with § 1 section 1 AkkStelleGBV. DAkkS is designated as the national accreditation authority by Germany according to Art. 4 Para. 4 of Regulation (EC) 765/2008 and clause 4.7 of DIN EN ISO/IEC 17000.

Pursuant to Art. 11 section 2 of Regulation (EC) 765/2008, the accreditation certificate shall be recognised as equivalent by the national authorities within the scope of this Regulation as well as by the WTO member states that have committed themselves in bilateral or multilateral mutual agreements to recognise the certificates of accreditation bodies that are members of ILAC or IAF as equivalent.

DAkkS is a signatory to the multilateral agreements for mutual recognition of the European co-operation for Accreditation (EA), International Accreditation Forum (IAF) and International Laboratory Accreditation Co-operation (ILAC).

The up-to-date state of membership can be retrieved from the following websites:

EA: www.european-accreditation.org

ILAC: www.ilac.org IAF: www.iaf.nu



Deutsche Akkreditierungsstelle

Annex to the Accreditation Certificate D-PL-12072-04-01 according to DIN EN ISO/IEC 17025:2018

Valid from: 13.03.2024Date of issue: 13.03.2024

This annex is part of the Accreditation Certificate D-PL-12072-04-00.

Holder of the Accreditation Certificate:

PEHLA GmbH Beckstraße 15, 69469 Weinheim

with the location

PEHLA GmbH
PEHLA Prüffeld Berlin
Paulsternstraße 26, 13629 Berlin

The testing laboratory meets the requirements of DIN EN ISO/IEC 17025:2018 to carry out the conformity assessment activities listed in this annex. The testing laboratory meets additional legal and normative requirements, if applicable, including those in relevant sectoral schemes, provided that these are explicitly confirmed below.

The management system requirements of DIN EN ISO/IEC 17025 are written in the language relevant to the operations of testing laboratories and they conform to the principles of DIN EN ISO 9001.

High-Voltage Switch and Controlgear Power Engineering Equipment

The testing laboratory is permitted, without being required to infom and obtain prior approval from DAkkS, to use standards or equivalent testing methods listed here with different issue dates. The testing laboratory maintains a current list of all testing standards / equivalent testing procedures within the flexible scope of accreditation.

This annex to the certificate was issued by the Deutsche Akkreditierungsstelle GmbH (DAkkS) and is digitally sealed. This annex to the certificate is only valid together with the written accreditation certificate and reflects the status as indicated by the date of issue. The current status of any valid and surveyed accreditation can be found in the directory of accredited bodies maintained by Deutsche Akkreditierungsstelle GmbH (www.dakks.de).

Abbreviations used: see last page



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
		Generally	
Electrical engineering	IEC 62271-1:2017 + AMD 1:2021	High-voltage switchgear and controlgear - Part 1: Common specifications for alternat-	
	IEEE 4:2013	ing current switchgear and controlgear IEEE Standard Techniques for High-Voltage Testing	
	IEEE Std C37.20.2:2020	IEEE Standard for Metal-Clad Switchgear	
	IEEE Std C37.20.3:2013	IEEE Standard for Metal-Enclosed Interrupter Switchgear (1 kV - 38 kV)	
	IEEE Std C37.100:1992	IEEE Standard Definitions for Power Switchgear	
	IEEE Std C37.100.1:2018	Common requirements for high voltage power switchgear rated above 1000 V	
	GOST 1516.3-96	Electrical equipment for a.c. voltages from 1 to 750 kV - Requirements for electric	
		strength of insulation Circuit breaker	
Electrical engineering	IEC 62271-100:2021	High-voltage switchgear and controlgear - Part 100: High-voltage alternating-current circuit-breakers	
	IEC 62271-101:2021	High-voltage switchgear and controlgear - Part 101: Synthetic testing	
	EC 62271-108:2020	Part 108: High-voltage alternating current disconnecting circuit-breakers for rated voltages of 72,5 kV and above	
	IEC 62271-109:2019	High-voltage switchgear and controlgear - Part 109: Alternating-current series capacitor by-pass switches	
	IEC 62271-110:2017	High-voltage switchgear and controlgear - Part 110: Inductive load switching	
	IEC 62271-111:2019 IEEE Std C37.60:2019	High voltage switchgear and controlgear - Part 111: Automatic circuit reclosers for alternating current systems up to and including 38 kV	
	DIN EN 50152-1:2013 VDE 0115-320-1:2013 EN 50152-1:2013 DIN EN 50152- 1/A1:2014 VDE 0115-320- 1/A1:2014	Railway applications - Fixed installations - Particular requirements for AC switchgear - Part 1: Single-phase circuit-breakers with Un above 1 kV	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
Electrical	DIN EN 50152-2:2013	Railway applications - Fixed installations -	
engineering	VDE 0115-320-2:2013	Particular requirements for a.c. switchgear -	
	EN 50152-2:2012	Part 2: Single-phase disconnectors, earthing	
		switches and switches with Un above 1 kV	
	IEC 60077-1:2017	Railway applications - Electric equipment for	
		rolling stock - Part 1: General service	
		conditions and general rules	
	IEC 60077-2:2017	Railway applications - Electric equipment for	
		rolling stock - Part 2: Electrotechnical	
		components - General rules	
	IEC 60077-4:2017	Railway applications - Electric equipment for	
		rolling stock - Part 4: Electrotechnical	
		components; Rules for AC circuit-breakers	
	IEC/TR 62271-	High-voltage switchgear and controlgear -	
	300:2006	Part 300: Seismic qualification of alternating	
		current circuit-breakers	
	IEC/TR 62271-	Alternating current circuit breakers with	
	302:2010	internationally non-simultaneous pole	
		operation	
	IEC/TR 62271-	High-voltage switchgear and controlgear -	
	310:2008	Part 310: Electrical endurance testing for	
		circuit-breakers of rated voltage 72,5 kV and	
		above	
	IEEE Std C37.04:2018	IEEE Standard for Ratings and	
	+ CORRIGENDUM	Requirements for AC High-Voltage Circuit	
	1:2021	Breakers with Rated Maximum Voltage	
		Above 1000 V	
	IEEE C37.06.1:2017	IEEE Recommended Practice for Preferred	
		Ratings for High-Voltage (>1000 volts) AC	
		Circuit Breakers Designated Definite Purpose	
		for Fast Transient Recovery Voltage Rise	
	1555 Ct 007 00 0040	Times	
	IEEE Std C37.09:2018	IEEE Standard Test Procedure for AC High-	
	+ CORRIGENDUM	Voltage Circuit Breakers with Rated	
	1:2021	Maximum Voltage Above 1000 V	
	IEEE Std	IEEE Application Guide for AC High-Voltage	
	C37.010:2016	Circuit Breakers Rated on a Symmetrical	
	IEEE C+4	Current Basis	
	IEEE Std	Reservery Voltage for AC High Voltage Circuit	
	C37.011:2019	Recovery Voltage for AC High-Voltage Circuit	
		Breakers with Rated Maximum Voltage	
		above 1000 V	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions	
Electrical	IEEE Std	IEEE Guide for the Application of		
engineering	C37.012:2014	Capacitance Current Switching for AC High-		
	+ CORRIGENDUM	Voltage Circuit Breakers Above 1000 V		
	1:2016 IEEE Std.			
	C37.012A:2020			
	IEC/IEEE 62271-37-	High-voltage switchgear and controlgear -		
	013: 2021	Part 37-013: Alternating current generator		
		circuit-breakers		
	IEEE Std	IEEE Application Guide for Shunt Reactor		
	C37.015:2017	Switching		
	IEEE Std	AC high-voltage circuit switchers rated 15.5		
	C37.016:2018	kV through 245 kV		
	+CORRIGENDUM			
	1:2021			
	IEEE Std C37.11:2014	IEEE Standard Requirements for Electrical		
		Control for AC High-Voltage Circuit Breakers		
		Rated on a Symmetrical Current Basis		
	ANSI C37.54:2003	Conformance Test Procedures for Indoor		
		Alternating Current High-Voltage Circuit		
		Breakers Applied as Removable Elements in		
		Metal-Enclosed Switchgear Assemblies		
	CSA C22.2 No. 31-	Switchgear assemblies		
	18:2018			
	GOST R 52565-2006	Alternating-Current Circuit-Breakers for		
		Voltage from 3 to 750 kV		
	IEC 62146-1:2013	Grading capacitors for high-voltage		
	+ AMD1:2016	alternating current circuit-breakers -		
		Part 1: General		
	I	Load switch		
Electrical	IEC 62271-103:2021	High-voltage switchgear and controlgear -		
engineering		Part 103: Switches for rated voltages above		
		1 kV up to and including 52 kV		
	IEC 62271-104:2020	High-voltage switchgear and controlgear -		
		Part 104: Alternating current switches for		
	150 60074 405 0004	rated voltages of 52 kV and above		
	IEC 62271-105:2021	High-voltage switchgear and controlgear -		
		Part 105: Alternating current switch-fuse		
	Diameter Control	combinations		
Floatrical	Disconnect and earthing switches			
Electrical	IEC 62271-102:2018	High-voltage switchgear and controlgear -		
engineering		Part 102: Alternating current disconnectors		
		and earthing switches		



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
	IEEE C37.30.1:2011	IEEE Standard Requirements for High-	
		Voltage Switches	
	IEEE C37.41:2016	IEEE Standard Requirements for High-	
		Voltage Switches	
	GOST 52726-2007	Disconnectors and Earthing Switches for AC	
		Voltage above 1 kV and their Drive Units	
	T	Switchgear	ı
Electrical engineering	IEC 62271-200:2021	High-voltage switchgear and controlgear - Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	
	IEC 62271-201:2014	High-voltage switchgear and controlgear - Part 201: AC insulation-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	
	IEC 62271-203:2011 CORRIGENDUM 1:2013	High-voltage switchgear and controlgear - Part 203: Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV	
	IEC 62271-205:2008	High-voltage switchgear and controlgear - Part 205: High-voltage switchgear assemblies for operation at rated voltages above 52 kV	
	IEC 62271-209:2019 + AMD1:2022	High-voltage switchgear and controlgear - Part 209: Cable connections for gas- insulated metal-enclosed switchgear for rated voltages above 52 kV - Fluid-filled and extruded insulation cables - Fluid-filled and dry-type cable-terminations	
	IEC 62271-211:2014	High-voltage switchgear and controlgear - Part 211: Direct connection between power transformers and gas-insulated metal- enclosed switchgear for rated voltages above 52 kV	
	IEEE Std	IEEE Standard for High Voltage Gas-	
	C37.122:2021	Insulated Substations Rated Above 52 kV	
	IEEE Std C37.122.1:2014	IEEE Guide for Gas-Insulated Substations Rated Above 52 kV	
Electrical engineering	GOST R 54828-2011	Gas-insulated metal-enclosed switchgear for nominal voltages above 110 kV. General technical specification	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
	Su	rge protection devices	
Electrical engineering	DIN EN 50526-1:2012 VDE 0115-526-1:2012 EN 50526-1:2012	Railway applications - Fixed installations - D.C. surge arresters and voltage limiting devices - Part 1: Surge arresters	
	DIN EN 60099-1:2000 VDE 0675-1:2000 EN 60099-1:1999	Surge arresters; part 1: non-linear resistor type gapped surge arresters for a.c. systems	
	IEC 60099-4:2014	Surge arresters - Part 4: Metal-oxide surge arresters without gaps for a.c. systems	
	GB/T 11032-2020	Metal-oxide surge arresters without gaps for a.c. systems	
	IEC 60099-8:2017	Surge arresters - Part 8: Metal-oxide surge arresters with external series gap (EGLA) for overhead transmission and distribution lines of a.c. systems above 1 kV	
	IEC 60099-9:2014	Surge arresters - Part 9: Metal-oxide surge arresters without gaps for HVDC converter stations	
	IEC 61643-11:2011	Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power distribution systems - Requirements and testing methods	
	IEEE Std C62.11:2020	IEEE Standard for Metal-Oxide Surge Arresters for AC Power Circuits (> 1 kV)	
	CIGRE WG 33/14- 05:1989	Application Guide for Metal oxide Arresters without gaps for HVDC Converter Stations	
	GOST R 52725-2007	Surge arresters for AC electrical installations for voltage from 3 kV to 750 kV	
		Transmission lines	
Electrical engineering	IEC 62271-204:2011	High-voltage switchgear and controlgear - Part 204: Rigid gas-insulated transmission lines for rated voltage above 52 kV	
	IEC 60353:1989 + AMD1:2002	Line traps for a.c. power systems	
	IEC 61284:1997	Overhead lines - Requirements and tests for fittings	
Electrical engineering	CISPR TR 18-2:2017	Radio interference characteristics of overhead power lines and high-voltage equipment - Part 2: Methods of measurement and procedure for determining limits	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
	IEC 60358-1:2012	Coupling capacitors and capacitor dividers -	
	+ CORRIGENDUM	Part 1: Common clauses	
	1:2013		
		ansformers, choke coils	
Electrical	IEC 60076-6:2007	Power transformers - Part 6: Reactors	
engineering			
		nt and voltage converters	
Electrical	IEC 61869-1:2007	Instrument transformers - Part 1: General	
engineering		requirements	
	IEC 61869-2:2012	Instrument transformers - Part 2:	
		Additional requirements for current	
		transformers	
	IEC 60044-7:1999	Instrument transformers - Part 7:	
		Electronic voltage transformers	
	IEC 60044-8:2002	Instrument transformers - Part 8:	
		Electronic current transformers	
	IEEE Std C57.13:2016	Requirements for instrument transformers	
		ating bodies, feedthroughs	
Electrical	IEC 60383-1:1993	Insulators for overhead lines with nominal	
engineering		voltage above 1000 V; part 1: ceramic or	
		glass insulator units for a.c. systems;	
		definitions, test methods and acceptance	
		criteria	
	IEC 60383-2:1993	Insulators for overhead lines with a	
		nominal voltage above 1000 V; part 2:	
		insulator strings and insulator sets for a.c.	
		systems; definitions, test methods and	
		acceptance criteria	
	IEC 60137:2017	Insulated bushings for alternating voltages	
		above 1000 V	
	IEC 60168:1994	Tests on indoor and outdoor post	
	+ AMD1:1997	insulators of ceramic material or glass for	
	+ AMD2:2000	systems with nominal voltages greater than	
	JEC 64400 2000	1000 V	
	IEC 61109:2008	Insulators for overhead lines - Composite	
		suspension and tension insulators for a.c.	
		systems with a nominal voltage greater than	
		1000 V - Definitions, test methods and	
	IEC (2247,2042	acceptance criteria	
	IEC 62217:2012	Polymeric HV insulators for indoor and	
		outdoor use - General definitions, test	
	1	methods and acceptance criteria	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
Electrical engineering	IEC 60437: 1997	Radio interference test on high-voltage insulators	
	IEC 62155:2003	Hollow pressurized and unpressurized ceramic and glass insulators for use in electrical equipment with rated voltages greater than 1000 V	
	IEC TS 60815-1:2008	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles	
	IEC TS 60815-2:2008	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 2: Ceramic and glass insulators for a.c. systems	
	DIN 48113:1973	Support insulators for switchgear and switchgear for voltages above 1 kV; classification of terms for flexural strength	
	IEC 62231:2006	Composite station post insulators for substations with a.c. voltages greater than 1000 V up to 245 kV - Definitions, test methods and acceptance criteria	
	IEC 62231-1:2015	Composite station post insulators for substations with AC voltages greater than 1000 V up to 245 kV - Part 1: Dimensional, mechanical and electrical characteristics	
	IEC 61952:2008	Insulators for overhead lines - Composite line post insulators for A.C. systems with a nominal voltage greater than 1 000 V - Definitions, test methods and acceptance criteria	
	IEC 61462:2007	Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1000 V - Definitions, test methods, acceptance criteria and design recommendations	
	ANSI C29.1:2018	Test Methods for Electrical Power Insulators	
	ANSI C29.11:2020	Composite Insulators - Test Methods	
	ANSI C29.12:2020	Insulators - Composite-Suspension Type	
	ANSI C29.13:2012	Insulators - Composite - Distribution Deadend Type	



Testing field	Standard / In-House Procedure / Version	Title of Standard or In-House Procedere (Deviations / Modifications of Standard)	Test Range / Restrictions
Electrical	ANSI C29.17:2013	Composite Insulators - Distribution Line Post	
engineering		Туре	
	High-	voltage testing technology	
Electrical	IEC 60060-1:2010	High-voltage test techniques; Part 1:	
engineering		General definitions and test requirements	
	IEC 60060-2:2010	High-voltage test techniques - Part 2:	
		Measuring systems	
	IEC 60270:2000	High-voltage test techniques - Partial	
	+ AMD1:2015	discharge measurements	
	IEEE Std	IEEE Standard for High-Voltage Switchgear	
	C37.301:2009	(Above 1000 V) Test Techniques—Partial	
		Discharge Measurements	
		ng, environmental and safety testing	
Electrical	IEC 60068-2-14:2009	Environmental testing - Part 2-14: Tests -	
engineering		Test N: Change of temperature	
	IEC 60068-2-17:1994	Basic environmental testing procedures -	
		Part 2: Tests - Test Q: Sealing	
	IEC 60529:1989	Degrees of protection provided by	
	+ AMD1:1999	enclosures (IP code)	
	+ AMD2:2013		
	ISO 3744:2010	Acoustics - Determination of sound power	
		levels of noise sources using pressure -	
		Engineering method in an essentially free	
	B.W. 45605 4 4004	field over a reflecting plane	
	DIN 45635-1:1984	Measurement of noise emitted by	
		machines; airborne noise emission;	
		enveloping surface method; basic method,	
	DIN 45 625 42 4070	divided into 3 grades of accuracy	
	DIN 45635-12:1978	Noise measurements on machines;	
		Airborne noise measurement, enveloping	
	IEC/IEEE 62274 27	surface method, electrical switching devices	
	IEC/IEEE 62271-37-	High-voltage switchgear and controlgear - Part 37-082: Standard practice for the	
	082:2012 IEEE 62271-37-	measurement of sound pressure levels on	
	082:2012	alternating current circuit-breakers	
	002.2012	aiternating current circuit-breakers	



Abbreviations used:

DIN Deutsches Institut für Normung e.V.

EN Europäische Norm

IEC International Electrotechnical Commission – Internationale Elektrotechnische Kommission ISO International Organization for Standardization – Internationale Organisation für Normung